SPECIAL ISSUE

THE ARCHAEAN LIMPOPO GRANULITE BELT: TECTONICS AND DEEP CRUSTAL PROCESSES

Edited by

D.D. VAN REENEN[a], C. ROERING[a], L.D. ASHWAL[a] and M.J. DE WIT[b]

[a]*Department of Geology, Rand Afrikaans University, PO Box 524, Johannesburg 2000, South Africa*
[b]*Department of Geology, University of Cape Town, Rondebosch 7700, South Africa*

CONTENTS

Foreword ix
List of Participants and Referees xiii

I. Regional setting and timing of the Limpopo Orogeny

Regional geological setting of the Limpopo Belt
D.D. van Reenen, C. Roering, L.D. Ashwal (Johannesburg, South Africa) and M.J. de Wit (Rondebosch, South Africa) 1
When was the Limpopo Orogeny?
J.M. Barton Jr. and D.D. van Reenen (Johannesburg, South Africa) 7
The significance of Rb–Sr ages of biotite and phlogopite for the thermal history of the Central and Southern Marginal Zones of the Limpopo Belt of southern Africa and the adjacent portions of the Kaapvaal Craton
J.M. Barton Jr. and D.D. van Reenen (Johannesburg, South Africa) 17
Early basic magmatism in the evolution of the Northern Marginal Zone of the Archean Limpopo Belt
H.R. Rollinson (Harare, Zimbabwe) and D. Lowry (St. Andrews, UK) 33

II. Structural evolution

Regional and geological detailed studies

Structural geology of high-grade terranes: status and prospects
C. Roering and L. Ashwal (Johannesburg, South Africa) 47
The structural framework of the southern margin of the Limpopo Belt, South Africa
C.A. Smit, C. Roering and D.D van Reenen (Johannesburg, South Africa) 51
Structural geological and metamorphic significance of the Kaapvaal Craton–Limpopo Belt contact
C. Roering, D.D. van Reenen (Johannesburg, South Africa), M.J. de Wit (Rondebosch, South Africa), C.A. Smit, J.H. de Beer and J.F. van Schalkwyk (Johannesburg, South Africa) 69
Structures in granitoid gneisses and associated migmatites close to the granulite boundary of the Limpopo Belt, South Africa
C.R. Anhaeusser (Johannesburg, South Africa) 81
Structural geology and tectonic setting of the Sutherland Greenstone Belt, Kaapvaal Craton, South Africa
S. McCourt (Pretoria, South Africa) and D.D. van Reenen (Johannesburg, South Africa) 93
Geologic observations across a tectono-metamorphic boundary in the Babangu area, Giyani (Sutherland) Greenstone Belt, South Africa
M.J. de Wit (Rondebosch, South Africa), D.D. van Reenen and C. Roering (Johannesburg, South Africa) 111
The geology and tectonic evolution of the Pietersburg Greenstone Belt, South Africa
M.J. de Wit (Rondebosch, South Africa), M.G. Jones (Perth, Australia) and D.L. Buchanan (London, UK) 123
The nature of Archean terrane boundaries: an example from the northern Wyoming Province
D.W. Mogk (Bozeman, MT, USA), P.A. Mueller (Gainesville, FL, USA) and J.L. Wooden (Menlo Park, CA, USA) 155

Geophysical probing of the deep crust

Introduction: deep crustal probing
S.L. Klemperer (Stanford, CA, USA) 169
The deep structure of the Limpopo Belt from geophysical studies
J.H. de Beer and E.H. Stettler (Pretoria, South Africa) 173
Seismic studies in the Limpopo Belt
R.J. Durrheim, W.H. Barker and R.W.E. Green (Witwatersrand, South Africa) 187

III. Metamorphic evolution

General

Thermobarometry and *P–T* paths from granulite facies rocks: an introduction
F.S. Spear (Troy, NY, USA) 201
Thermobarometry in granulites: pitfalls and new approaches
F.S. Spear and F.P. Florence (Troy, NY, USA) 209
Microfabrics indicating granulite-facies metamorphism in the low-pressure central Damara Orogen, Namibia
H.P. Masberg, E. Hoffer (Marburg, Germany) and S. Hoernes (Bonn, Germany) 243

P-T paths from the Southern and Northern Marginal Zones of the Limpopo Belt

Metamorphic *P–T* profiles from the Zimbabwe Craton to the Limpopo Belt, Zimbabwe
T. Tsunogae, T. Miyano (Ibaraki, Japan) and J. Ridley (Nedlands, W.A., Australia) 259
Constraints on the form of the *P–T* loop in the Southern Marginal Zone of the Limpopo Belt, South Africa
G. Stevens and D.D. van Reenen (Johannesburg, South Africa) 279

IV. Partial melting and granulite genesis

Partial melting and granulite genesis: a partisan overview
J.D. Clemens (Manchester, UK) 297
Partial melting and the origin of metapelitic granulites in the Southern Marginal Zone of the Limpopo Belt, South Africa
G. Stevens and D.D. van Reenen (Johannesburg, South Africa) 303

V. Fluids and high-grade metamorphism

Fluid flow during deep crustal metamorphism, an introduction to new data from the Southern Marginal Zone of the Limpopo Belt
L.S. Hollister (Princeton, NJ, USA) 321
Constraints on the composition of fluids involved in retrograde anthophyllite formation in the Limpopo Belt, South Africa
J. Baker (Chicago, IL, USA), D.D. van Reenen, J.F. van Schalkwyk (Johannesburg, South Africa) and R.C. Newton (Chicago, IL, USA) 327
High-temperature hydration of ultramafic granulites from the Southern Marginal Zone of the Limpopo Belt by infiltration of CO_2-rich fluid
J.F. van Schalkwyk and D.D. van Reenen (Johannesburg, South Africa) 337
The oxygen-isotopic composition of granulites and retrogressed granulites from the Limpopo Belt as a monitor of fluid–rock interaction
S. Hoernes (Bonn, Germany) and D.D. van Reenen (Johannesburg, South Africa) 353
Stable isotope profile across the orthoamphibole isograd in the Southern Marginal Zone of the Limpopo Belt, South Africa
T.W. Vennemann and H. Stuart Smith (Rondebosch, South Africa) 365

VI. Charnockites

An overview of charnockite
R.C. Newton (Chicago, IL, USA) 399

On the origins and tectonic significance of the charnockite suite of the Archaean Limpopo Belt, Northern Marginal Zone, Zimbabwe
J. Ridley (Nedlands, W.A., Australia) 407
Evidence for metamorphic and igneous charnockites in the Southern Marginal Zone of the Limpopo Belt
F. Bohlender, D.D. van Reenen and J.M. Barton Jr. (Johannesburg, South Africa) 429
Isotopic and REE characteristics of the intrusive charnoenderbite and enderbite geographically associated with the Matok Pluton, Limpopo Belt, southern Africa
J.M. Barton Jr. (Johannesburg, South Africa), R. Doig (Montreal, Que., Canada), C.B. Smith (Johannesburg, South Africa), F. Bohlender and D.D. van Reenen (Johannesburg, South Africa) 451
Geochemistry of high-grade supracrustal rocks from the Kerala Khondalite Belt and adjacent massif charnockites, South India
T. Chacko (Chapel Hill, NC, USA), G.R. Ravindra Kumar (Trivandrum, India), J.K. Meen (University Park, PA, USA) and J.J.W. Rogers (Chapel Hill, NC, USA) 469

VII. Tectonic models for the evolution of high-grade terranes

General

Precambrian tectonics and the physicochemical evolution of the continental crust. I. The gabbro–eclogite transition revisited
D.J. Ellis and M.A.H. Maboko (Canberra, A.C.T., Australia) 491
Precambrian tectonics and the physicochemical evolution of the continental crust. II. Lithosphere delamination and ensialic orogeny
D.J. Ellis (Canberra, A.C.T., Australia) 507
Tectonics and heat sources for granulite metamorphism of supracrustal-bearing terranes
L.D. Ashwal (Johannesburg, South Africa), P. Morgan and T.D. Hoisch (Flagstaff, AZ, USA) 525

Evolutionary models for the Limpopo Belt

Tectonic model for the evolution of the Limpopo Belt
C. Roering, D.D. van Reenen, C.A. Smit, J.M. Barton Jr., J.H. de Beer (Johannesburg, South Africa), M.J. de Wit (Rondebosch, South Africa), E.H. Stettler (Pretoria, South Africa), J.F. van Schalkwyk, G. Stevens and S. Pretorius (Johannesburg, South Africa) 539
Shear zones of the Limpopo Belt and adjacent granitoid–greenstone terranes: implications for late Archaean collision tectonics in southern Africa
S. McCourt (Hillcrest, South Africa) and J.R. Vearncombe (Nedlands, W.A., Australia) 553
Himalayan–Tibetan analogies for the evolution of the Zimbabwe Craton and Limpopo Belt
P.J. Treloar, M.P. Coward (London, UK) and N.B.W. Harris (Milton Keynes, UK) 571